

SAFETY DATA SHEET

SUPERFAM DOS

Section 1: Product Identification

Product Trade Name:	SUPERFAM DOS, SUPERFAM DOS AE, SUPERFAM WD
Generic Name by SUCAMEC:	ANFO
Recommended Use and Restrictions:	<p>SUPERFAM DOS is a granular explosive agent, used in surface mining, underground mining, civil works and where the type of rock is soft or semi-hard.</p> <p>Friction, shock, fire and other sources of ignition should be avoided as there is a risk of explosion which can cause serious injury, even fatal.</p> <p>Its handling temperature range is from 0°C to 30°C.</p>

Provider Information

Name:	FAMESA EXPLOSIVOS S.A.C.
Address:	Km 28 Autopista Ancón - Puente Piedra
City / Country:	Lima / Peru
Emergency telephone:	(+51 1) 613-9800
Email address:	famesa@famesa.com.pe
Emergency Telephone Number:	(+51 1) 613-9800 Extension 100
Office hours:	M-F from 08:00 to 17:00 hours

Section 2: Hazards Identification
Substance or Mixture GHS Classification

Blasting explosive, type B
 UN Number 0331
 Class or Division 1.5D

Description		Hazard Identification
Physical Hazards	Explosives 1.5	H205 Risk of mass explosion in case of fire.
Health Hazards	Skin irritation, Cat. 2	H315 Causes skin irritation.
	Eye irritation, Cat. 2/2A	H319 Causes severe eye irritation.
	Carcinogenicity, Cat. 2	H351 Suspected of causing cancer.
Environmental Risks	Specific Target Organ Systemic Toxicity – Repeated Exposures, Cat. 2	H373 May cause damage to organs through prolonged or repeated exposure.
	Long-term aquatic hazard, Chronic 3	H412 Harmful to aquatic life, with long lasting effects.

Signal Word: Danger, Caution.

GHS Label Element


Cautionary Advice
In terms of prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
P220	Keep away from clothing and other combustible materials.
P234	Keep only in original packaging.
P240	Grounding and equipotential bonding of the vessel and the receiving equipment.
P250	Avoid abrasion, shock and friction.
P260	Do not breathe dust, fume or vapors.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing and eye protection.

In the event of interference

P318	IN CASE OF PROVEN or SUSPECTED EXPOSURE: Get medical advice/attention.
P319	Seek medical advice if the person is unwell.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P332 + P317	In case of skin irritation seek medical advice.
P337 + P317	If eye irritation persists, get medical advice.
P362 + P364	Remove contaminated clothing and wash before reuse.
P370 + P380	In case of fire: Evacuate area.
P305 + P351 + P338	If in eyes: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P370 + P372 + P380 + P373	In case of fire: Risk of explosion. Evacuate area. DO NOT fight fire when fire reaches explosives.

For storage

P401	Store according to local regulations.
------	---------------------------------------

For disposal

P501	Dispose of contents in accordance with local regulations.
P503	Ask the manufacturer for information on disposal.

Other hazards

Exposure may aggravate pre-existing eye, skin or respiratory conditions.

Section 3: Composition / Information of components

Chemical Identity	Common Name	CAS Number	Concentration
Ammonium Nitrate	Ammonium Nitrate	6484-52-2	<93.5%
Petroleum	Petroleum	68334-30-5	<6.5%

Section 4: First Aid Measures

Inhalation: Move exposed person to a place where he/she can breathe uncontaminated air. Get medical attention.

Skin Contact: Remove contaminated clothing. Wet the affected area with water for at least 15 minutes. If irritation, redness or burning sensation exists and persists, seek medical attention.

Eye Contact: Wash immediately with plenty of water for at least 15 minutes holding eyelids up. If irritation occurs, repeat rinsing and seek medical attention.

Ingestion: Do not induce vomiting. Rinse mouth and give water to drink. Never give liquids to an unconscious person. Seek medical attention immediately.

Most important symptoms / effects: Causes severe eye irritation. Causes skin irritation. There are possible chronic health effects to consider.

Most acute symptoms / effects: Overexposure to this material may result in methemoglobinemia.

Delayed symptoms / effects: Suspected of causing cancer. May cause damage to organs after prolonged or repeated exposure (thymus, liver, bone marrow).

Immediate indications and special treatment: No information is available.

Section 5: Fire-fighting measures

Suitable extinguishing media: Do not fight fire. Evacuate area immediately, prevent access, do not breathe fumes from fire.

Specific hazards of the chemical: Heat under confined and/or special conditions may cause violent reaction or explosion. May detonate when subjected to fire or under severe impact. Burning material may explode and produce toxic fumes.

Special protective equipment and special precautions for fire-fighting equipment: Evacuate area in all directions 1.6 km or more. Allow fire to burn out. Do not allow personnel to pass. Clear area.

Section 6: Measures to be taken in case of accidental release

Personal Precautions: Only trained and authorized personnel must take actions in emergency situations.

Personal Protective Equipment: Gloves, safety glasses with side protection, work clothes, safety shoes.

Emergency Procedures:

- Restrict access to the spill area.
- Remove sources of heat and ignition.
- Do not allow access to unauthorized personnel.
- Minimize the number of people in the risk area.
- All equipment used in handling the spill should be grounded.
- Use non-sparking equipment and tools when handling the material.
- Do not touch or walk over spilled material.

Environmental precautions: Take precautions to prevent contamination of streams and drains.

Methods and materials for isolation and cleaning up: SUPERFAM DOS should be carefully collected and placed in properly identified containers, without the use of metallic objects or any tool that could produce sparks. Place the product in marked containers. Decontaminate the spill area. Dispose of the material under supervision of qualified personnel.

Section 7: Handling and Storage

Precautions for Safe Handling

Operational and Technical Measures to avoid exposure: This product should be handled by qualified and authorized personnel in the use of the explosive. Handle with extreme care, bearing in mind that SUPERFAM DOS is sensitive under certain conditions of shock, friction, spark and fire. Its handling temperature range is from 0°C up to 30°C.

Other precautions: Under no circumstances should you attempt to disassemble, cut or remove the product content.

Storage Conditions

Conditions for Safe Storage: It will be stored only with compatible products. The ammunition dump designed for storage shall comply with all the requirements established by current regulation. The warehouse must be a dry, fresh, clean, and ventilated area with electrical connection to the earth. Must be stored in powder magazines at temperatures between 5 °C and 30 °C.

Incompatible Substances and Mixtures: Do not store near fuels, heat sources, copper, zinc, copper or zinc alloys or aluminum dust.

Section 8: Exposure control / personal protection

Control parameters

No value is recorded for this specific material.

Appropriate engineering controls

Apply engineering measures to comply with occupational exposure limits. Eye drop stations. Ventilation system.

If safe exposure levels could be exceeded in the handling and application of this material, engineering controls such as local exhaust ventilation should be considered. If safe exposure levels are achieved, engineering controls are not required, following a detailed and documented risk assessment using personnel.

Personal Protective Equipment (PPE)

Eye Protection: Safety glasses fitted to the contour of the face that meet ANSI/ISEA Z87.1-2015 requirement.

Skin and Body Protection: Wear suitable clothing according to current regulations, such as cotton uniform, in order to avoid static charge buildup.

Respiratory Protection: Not required during handling.

Thermal Hazards: Not applicable.

Hand Protection: The use of protective gloves made of impermeable material with chemical resistance is recommended. They may be made of nitrile or better, complying with the UNE-EN-420:2004 standard.

Section 9: Physical and chemical properties

Physical State: Solid.

Color: Not applicable.

Odor: Characteristic hydrocarbon odor.

Melting Point / Freezing Point: Not applicable.

Boiling point or initial boiling point and boiling range: Not applicable.

Flammability: Not applicable.

Lower and upper explosion limit / flammability limit: Not applicable.

Flash Point: Not applicable.

Autoignition Temperature: Not applicable.

Decomposition Temperature: No information is available.

pH: Not applicable.

Kinematic Viscosity: Not applicable.

Solubility: Soluble.

Partition coefficient n-octanol/water (logarithmic value): No information is available.

Vapor Pressure: Not applicable.

Relative density: SUPERFAM DOS: $0.80 \pm 0.05 \text{ g/cm}^3$.
SUPERFAM DOS AE: $0.82 \pm 0.10 \text{ g/cm}^3$.

Vapor relative density (air=1): Not applicable.

Particle Characteristics: Not applicable.

Section 10: Stability and Reactivity

Reactivity: Explosive

Chemical Stability: Product is stable at normal recommended environmental conditions of storage and handling. Risk of explosion due to energy, shock, fire or other sources of ignition. Capable of detonation, explosive decomposition or explosive reaction, but requires a strong source of initiation or must be heated in confinement.

Possibility of Hazardous Reactions: A major fire may involve an explosion hazard. An adjacent detonation may also involve an explosion hazard. A massive explosion can occur due to shock, friction, fire or other ignition sources. Explosion creates the projection of shrapnel.

Conditions to Avoid: Do not expose to high temperatures, fire, impact, friction, electric current and electrostatic discharges.

Incompatible Materials: Fuels, heat sources, copper, zinc, copper or zinc alloys or aluminum dust.

Hazardous Decomposition Products: Detonation produces oxides of nitrogen, lead and oxides of carbon.

Section 11: Toxicological Information

Acute Toxicity (DL50, CL50): Ammonium Nitrate (2217 mg/kg, >88.8mg/l/4h)

Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage/Eye Irritation: Fumes from the product may cause eye irritation.

Respiratory or skin sensitization: No information is available.

Germ Cell Mutagenicity: No information is available.

Carcinogenicity: Suspected of causing cancer.

Reproductive Toxicity: No information is available.

Specific Target Organ Systemic Toxicity – Single Exposure: No information is available.

Specific Target Organ Systemic Toxicity – Repeated Exposures: May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: No information is available.

Section 12: Ecotoxicological Information

Ecotoxicity: Avoid contact with waterways and soils.

Persistence and Degradability: May cause long-term adverse effects in the environment.

Bioaccumulative Potential: No information is available.

Soil Mobility: No information is available.



Other adverse effects: No information is available.

Section 13: Information regarding the disposal of products

Recommended and approved methods for safe disposal: All waste must be handled according to national regulations. Small quantities or deteriorated explosives can be destroyed by placing them in an auger containing a good explosive. For large quantities of damaged or deteriorated explosives, please notify Famesa Explosivos S.A.C.

Recommended and approved methods for disposal of contaminated containers/packaging: Burn under controlled conditions while strictly following national procedures.

Section 14: Transport Information

Mode of transport applied	Road	Sea	Air
National and international regulations	SUCAMEC / Law 28256	IMO / IMDG	IATA / DGR
UN Number	0331	0331	0331
Proper UN Shipping Name	Blasting explosive, type B	Blasting explosive, type B	Forbidden
Transport classification	1.5D	1.5D	Forbidden
Label			Forbidden
Packaging group	II	II	Forbidden

Environmental hazards	No information is available	No information is available	No information is available
Bulk transport according with IMO instruments	Not Applicable	Not Applicable	Not Applicable

Section 15: Regulatory Information

National Regulations

- Regulation on the Control of Explosives for Civil Use – Peru (SUCAMEC)
- Law No. 28256: “Law regulating the Land Transportation of Hazardous Materials and Hazardous Wastes”.

International Regulations

- Globally Harmonized System of Classification and Labeling of Chemicals (GHS), United Nations, 8th version.
- International Maritime Dangerous Goods Code (IMDG Code), IMO, 2018 edition.
- Dangerous Goods Regulations (DGR), IATA, Issue 62.

Section 16: Other Information

This safety data sheet has been prepared by professionals from the areas of Industrial Safety, Environment, Quality Control, Research and Development and the Occupational Physician of Famesa Explosivos.

Date of Issue: 03/25/2022

Revision: Annual

Abbreviations and Acronyms

DL50 – Lethal dose for 50% of the population tested.

CL50 – Lethal concentration for 50% of the population tested.

UN - United Nations Organization.

TWA - Time Weighted Average Concentration.

CAS - Chemical Abstracts Service.

OSHA – Occupational Safety and Health Administration.

ACGIH – American Conference of Governmental Industrial Hygienists.

PEL - Permissible Exposure Limit.

TLV - Threshold Limit Value.

Disclaimer of Liability

Famesa Explosivos S.A.C., hereinafter Famesa, has prepared this safety data sheet based on our extensive knowledge at the date of issue, on chemical health hazards, material safety and general guidance on how to handle the material safely in the workplace. Since Famesa cannot anticipate or control the conditions of use of the product, each user must, prior to handling, evaluate and control the risks of the product.

If you need clarification and/or further information, please contact FAMESA EXPLOSIVOS S.A.C. through our telephone and/or mail indicated in section 1 of this document.